

# Toroidal Transformer

High Efficiency, Low Interference & Small Size (1U rack acceptable), product can accept as custom-made according to customer's requirement.

Furthermore, we accumulate plenty of experiences in design, have specialized in manufacturing equipment and full set of test equipments. Insulation test, loading test, temperature rise and other test to keep high quality products to every customer.

- ✓ **Specification:** 50VA~4kVA in power is acceptable (tailor-made)
- ✓ **Lead time for sample:** 4~10 days
- ✓ **Lead time for mass production:** 10~40 days (depend on the quantity)

## For every application

- Control System
- Security System
- Electron, Electric Machinery, Mechanical Engineering, Etc.
- Power Supply
- Industrial Equipment
- Lighting
- Subwoofer Amplifier
- D.J. Amplifier
- Public Address Amplifier
- Audio / Video Amplifier

## Features


- Lowest Leakage Flux
- Lowest Excitation Current
- Output Completely Insulated
- Temperature Rise 65°C (Max)
- Insulated Resistance 500VDC / 100MΩ
- Hi-pot Test : 4KV (CE, TÜV, VDE) \ 2KV (UL, CSA)

## Advantage


- Environment Energy Conservation
- Low Leakage Flux and High Efficiency
- Light Weight, Small Size
- Low Hum / Noise
- Easy to install and widely used
- 50VA~4KVA in power is acceptable (tailor-made)
- No MOQ Required



## Assembly structure



## Cross-sectional view



## Specification

Power Rating VA	Dimensions	
	OD (mm)	H (mm)
50VA	1	82
	2	90
75VA	1	90
	2	100
100VA	1	90
	2	100
	3	116
150VA	1	90
	2	100
	3	125
200VA	1	100
	2	110
	3	135
250VA	1	110
	2	116
	3	145
300VA	1	110
	2	116
	3	155
350VA	1	110
	2	118
	3	165
400VA	1	118
	2	127
	3	175
500VA	1	127
	2	135
	3	180

Power Rating VA	Dimensions	
	OD (mm)	H (mm)
600VA	1	135
	2	145
750VA	1	138
	2	155
900VA	1	145
	2	165
1000VA	1	157
	2	180
1200VA	1	157
	2	173
1400VA	1	176
	2	183
1600VA	1	165
	2	185
1800VA	1	175
	2	185
2000VA	1	180
	2	185
2300VA	1	185
	2	200
2500VA	1	185
	2	200
3000VA	1	203
	2	208
3500VA	1	203
	2	208
4000VA	1	208
	2	223

Customers made are welcomed.